

**BRAMPTON
BRICK**

An Integrated Masonry and Landscape Solutions Company.

Brampton Brick has provided complete masonry and landscape solutions since 1871. From the ground up, our brick and stone materials will masterfully refine your outdoor living spaces. Combining the various perspectives of Brampton Brick, Stoneworks and Oaks Concrete, we provide you a wide selection of unique stone products, brickwork, pavers, walls and architectural accessories that are durable and practical, yet established and prestigious.

With Brampton Brick as your chosen masonry and landscape product supplier, you'll have everything you need in the design of your outside property from start to finish.



**BRAMPTON
BRICK**

Brampton Brick Limited
225 Wanless Drive
Brampton, Ontario
L7A 1E9

Oaks Concrete Products

Detroit
51744 Pontiac Trail
Wixom, Michigan
48393
Phone: (248) 684-5004
Fax: (248) 684-2726

Brampton
Petworth Road
west of Hurontario Street
Brampton, Ontario
Phone: (905) 843-7335
Fax: (905) 840-6461

Markham
455 Rodick Road
Markham, Ontario
L6G 1B2
Phone: (905) 475-5900
Fax: (905) 479-2894

Milton
475 Harrop Drive
Milton, Ontario
L9T 3H3
Phone: (905) 875-0035
Fax: (905) 878-5301

Kingston
1645 Sydenham Road,
Kingston, ON
K7L 4V4
Phone: (613) 766-7338
Fax: (613) 766-1181



Distributed by:

1.800.GO.BRICK
bramptonbrick.com

1-800-876-OAKS (6257)

To find a dealer near you, please visit:
www.oakspavers.com



Bring your
CREATIVITY to life.



Take notice of what



Hello,

I'm Dave Carter, Executive Vice President at Brampton Brick. For over 30 years now, our landscape products division, Oaks, has been your trusted source for landscaping needs. The superior quality of Oaks landscape paving stones, retaining walls and Enviro products has been used to enhance your outdoor living space.

I'm constantly reminded of the practical and creative potential of our products through the limitless ways homeowners and landscapers alike display their architectural inspiration in the use of our products. We pride ourselves in this ingenuity, which allows the customer to shape any outdoor area into an elegant living space to be shared with friends and family.

Our Oaks guarantee* means that your investment and interest in our products will last a lifetime. The integrity, durability, and appearance of our product is of utmost importance to us, that is why we use quality, high-density concrete in all of our products; providing grace and versatility that can endure any extremes our climate has to offer.

Please enjoy our guide, inside it, you will find the inspiration needed to design and enhance your own outdoor living space and lifestyle, truly expressing yourself.

David Carter

Executive Vice President,
Brampton Brick Limited



SPECIFICATIONS

PAVERS

Pg.	Paver Shape	Sq. Ft./ full Bundle	Weight/ full Bundle (lbs.)	Linear Ft./ full bundle	Pieces/ bundle	Section/ bundle	Sq. Ft./ section	Weight/ section (lbs)	
4	VILLANOVA Large Rectangle Square Rectangle	76.5	2898	23.5 Large 23.5 Square	18 Large 18 Square	3	25.5	966	
									76.5
6	WEXFORD Half Stone Standard Stone Extra Large Stone	99.8	3261*	173.25	504	■	n/a	n/a	
		94.9	3136*	138	240	■	n/a	n/a	
		95.6	3154*	82.7	120	■	n/a	n/a	
		90.0	2880	98.5	144	■	22.5	720	
8	CENTURION Double Jumbo Quad Jumbo Standard	90.0	3060	65.7	72	■	30.0	1020	
		90.0	3053	99.0	108	■	22.5	763	
		90.0	2880	98.5	144	■	22.5	720	
		90.9	2856	133	294	■	17.0	476	
10	RIDGEFIELD 4x8, 8x8, 8x12 Combo Bundle 12x12	103.0	3353	—	80 Each	1/2 Bundle Available	—	—	
		93.0	3128	94.5	96	4	23.3	782	
12	ARCADIA Square / Small Combo Bundle Large Circle Kit	93.0	3020	163 Square 49 Small	360 Square 216 Small	■	11.6	378	
		102.0	3224	151	336	■	16.4	518	
		5.0	85	—	18 Wedge 1 Starter	No Sections Available	—	—	
		93.0	3020	163 Square 49 Small	360 Square 216 Small	■	11.6	378	
13	COURTLAND Full Stone Half Stone "Left" Half Stone "Right"	2936	2936	63	No Sections Available	27.67	—	—	
		45	45	45	45	13.12	—	—	
		45	45	45	45	13.35	—	—	
		2936	2936	63	No Sections Available	27.67	—	—	
14	COLONNADE 3x6 / 6x6 Combo Bundle 6x9 9x9	104.0	2925	26 - 3x6 186 - 6x6	108 - 3x6 378 - 6x6	■	13.0	366	
		105.0	2826	141	288	■	13.0	353	
		98.0	2750	133	180	■	19.7	550	
		104.0	2880	—	192	No Sections Available	—	—	
16	ROMANESQUE Circle Bundle Square/Small Combo Bundle Large	69.0	1957	—	—	—	—	—	
		99.0	2600	223 Square 32 Small	567 Square 162 Small	9	11.0	289	
		99.0	2825	170	432	6	16.5	470	
		104.0	2880	—	192	No Sections Available	—	—	
17	CYRANO Large Square Combo	104.0	2880	—	192	No Sections Available	—	—	
		104.0	2880	—	192	No Sections Available	—	—	
		105.0	2900	213	432	8	13.0	363	
		113.0	3200	142 - 6x9 18 - 3x9	288 - 6x9 72 - 3x6	8	14.0	400	
18	FINELINE 6x6 6x9 / 3x6 Combo Bundle 9x9	105.0	2900	213	432	8	13.0	363	
		113.0	3200	142 - 6x9 18 - 3x9	288 - 6x9 72 - 3x6	8	14.0	400	
		98.0	2750	133	180	5	19.7	550	
		105.0	3024	106	108	4	26.3	756	
19	CLASSIC SERIES 4x8 60 mm 8x8 60 mm 12x12 60 mm	106.0	2900	157	477 Full/ 18 Half	6	17.7	483	
		104.0	2900	157	240	6	17.3	483	
		105.0	3024	106	108	4	26.3	756	
		80	2640	80	120	No Sections Available	—	—	
22	ENVIRO PAVE	78.0	2731	118	180	6	13	455	
22	TURF SLAB	75.0	1860	59	30	No Sections Available	—	—	
23	HYDR'EAU PAVE 4 x 4 4 x 8 8 x 8 8 x 12	Joint width - 7mm, void area is 5.5%			6	72	No sections available	—	—
		64.1	2232	n/a	48	48	No sections available	—	—
		64.1	2232	n/a	48	48	No sections available	—	—
		64.1	2232	n/a	48	48	No sections available	—	—
		64.1	2232	n/a	48	48	No sections available	—	—

WALLS

Pg.	Wall Product	Pieces/ bundle	Area/bundle (face Ft.)	Linear Ft./ bundle	Weight/ bundle (lbs.)	Weight/ piece (lbs.)
28-29	ORTANA/ORTANA PLUS Standard Unit Tapered Unit 90° Corner Unit 1' Coping Unit 2' Coping Unit (Ortana only)	60	19.4	39.4	2760	46
		60	19.4	39.4	2400	40
		24	19.4	11.8 vertical feet	1128	47
		72 (closed end incl.)	17.7	72.0	2520	35
		24	11.8	48.0	1680	70
30	FIELDSTONE 135 Unit Coping Unit	32	14.4	—	1725	54 average
		48	17.8	72	2688	56
		100	30.3 (based on 11.44 inch)	95.3 (based on 11.44 inch)	2800	28
32	LAREDO Standard Unit Tapered Unit	150	27.1 (based on 7.88 inch)	75.8 (based on 7.88 inch)	2700	15
		20	26.6	16.7	2790	1395
33	KEYSTONE VERAZZO Large Medium Small Corner Corner Unit - 3"	20	26.6	16.7	2790	1395
		20	26.6	16.7	2790	1395
		36	29.5	18 vertical	1714	47.6 / pc
		54	20.3	81	2916	54 / pc
34	KEYSTONE VICTORIAN Standard Unit Corner Coping Unit - 3"	40	40	60	3080	77 / pc
		40	60	26.6 vertical	3440	86 / pc
		24	12	36	1872	78 / pc
		40	40	60	3080	77 / pc
35	KEYSTONE COMPAC HEWNSTONE Standard Unit Corner Coping Unit - 4"	40	40	60	3080	77 / pc
		32	37.33	21.3 vertical	1344	42 / pc
		24	12	36	1872	78 / pc
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2196	12.2
36	MODECO Standard Unit Coping Unit	180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
37	CASTELO Standard Unit Coping Unit	180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2196	12.2
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
		180	27.9 - Straight 31.7 - Outside 24.1 - Inside	95.7 - Straight 108.7 - Outside 82.7 - Inside	2457	13.7
38	GARDENIA Standard Unit Coping Unit Step Tread Unit 90° Corner Unit	120	38.8	78.7	2580	21.5
		24	12.0	48.0	1272	53
		24	12.0	48.0	1850	77
		36	29.0	18 vertical feet	1188	33

FOOT NOTES:

- No Sections Available
- * Estimated weight

Please note: All photos contained in this catalogue are artistic representations. Color swatches contained in this catalogue should only be used as a guide. Colors should always be chosen and selected from actual samples. Contact your local dealer or Oaks representative for samples and color availability in your area.



Oaks Concrete Products Lifetime Warranty

Oaks Concrete Products are manufactured to the highest quality standards in a tightly controlled, fully monitored production environment. Oaks Concrete Products are guaranteed to be free of material defects for as long as the original Purchaser (Homeowner), owns the residence where the product(s) are installed. Product found to be defective will be replaced without cost. Colour matching cannot be guaranteed and replacement labour is not included. The warranty is subject to normal 'residential' use conditions.

Limitations & Exclusions

This Warranty does not apply to damage, deterioration or colour change to the concrete products resulting from:

- Improper installation procedures inconsistent with the Interlocking Concrete Paving Institute (ICPI) installation methodology and guidelines.
- Breakage caused from overloading, impact or sub-grade settlement.
- Discolouration caused by staining, improper sealing, pollution or abrasion.
- Use of de-icing chemicals other than sodium chloride.
- Efflorescence - this is not a material defect.

Take notice of what



Hello,

I'm Dave Carter, Executive Vice President at Brampton Brick. For over 30 years now, our landscape products division, Oaks, has been your trusted source for landscaping needs. The superior quality of Oaks landscape paving stones, retaining walls and Enviro products has been used to enhance your outdoor living space.

I'm constantly reminded of the practical and creative potential of our products through the limitless ways homeowners and landscapers alike display their architectural inspiration in the use of our products. We pride ourselves in this ingenuity, which allows the customer to shape any outdoor area into an elegant living space to be shared with friends and family.

Our Oaks guarantee* means that your investment and interest in our products will last a lifetime. The integrity, durability, and appearance of our product is of upmost importance to us, that is why we use quality, high-density concrete in all of our products; providing grace and versatility that can endure any extremes our climate has to offer.

Please enjoy our guide, inside it, you will find the inspiration needed to design and enhance your own outdoor living space and lifestyle, truly expressing yourself.

David Carter

Executive Vice President,
Brampton Brick Limited



Oaks Concrete Products Lifetime Warranty

Oaks Concrete Products are manufactured to the highest quality standards in a tightly controlled, fully monitored production environment. Oaks Concrete Products are guaranteed to be free of material defects for as long as the original Purchaser (Homeowner), owns the residence where the product(s) are installed. Product found to be defective will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. The warranty is subject to normal 'residential' use conditions.

Limitations & Exclusions

This Warranty does not apply to damage, deterioration or color change to the concrete products resulting from:

1. Improper installation procedures inconsistent with the Interlocking Concrete Paving Institute (ICPI) installation methodology and guidelines.

2. Breakage caused from overloading, impact or sub-grade settlement.

3. Discoloration caused by staining, improper sealing, pollution or abrasion.

4. Use of de-icing chemicals other than sodium chloride.

5. Efflorescence – this is not a material defect.

inspires you.



32



4



20



31

CONTENTS

PAVERS

- 4 Villanova
- 6 Wexford
- 8 Centurion
- 10 Ridgefield
- 12 Arcadia
- 13 Courtland

- 14 Colonnade
- 16 Romanesque
- 17 Cyrano
- 18 Finline
- 19 Classic Series
- 20 Cassina Et Cassina Plus
- 22 Enviro Products

WALLS

- 28 Ortana
- 29 Ortana Plus
- 30 Fieldstone
- 32 Laredo
- 33 Keystone Verazzo
- 34 Keystone Victorian

- 35 Keystone Compac Hewnstone
- 36 Modeco
- 37 Castelo
- 38 Gardenia

RESOURCES

- 21 Paver Installation
- 39 Wall Installation
- 40 Step Installation
- 41 Wall Design
- 42 Accessories
- 44 Design Ideas

- 46 Architectural Products
- 48 Color Et Texture
- 49 Specifications Et Integrated Products



Outdoor living never felt



or looked so good.



PAVERS

Enrich your lifestyle and design a living space that suits your needs with Oaks Paving Stones. The various styles, colors, and textures offered, complement any natural surrounding and provide a distinguished appeal. Embrace your creative side and choose from an array of colors to paint your picture.

VILLANOVA NEW!

A natural stone look, with accentuated contours that define Villanova's unique characteristics

This large scale paver has an 80mm (3.15") thickness suitable for both vehicle and pedestrian traffic. Villanova's three piece paving system allows a natural stone look with ranges of earth tones that emphasize any landscape décor. Design flexibility is endless with Villanova's 8x16, 16x16 and 24x16 sizes. Give your project an upscale look using the fifteen different textures of the 8x16 rectangle in the timeless herringbone pattern or enhance the scale by adding the square and large rectangular units.



Top left: Paver - Villanova in Greystone Bottom left: Paver and Edging - Villanova in Champagne with Centurion Cedar Creek
Middle: Paver and Edging - Villanova Champagne and Hydr'eau Pave in custom Charcoal Top right: Paver and Edging - Villanova Champagne
and Villanova Tundra inset soldiering Bottom right: Paver and Edging - Villanova Champagne and Hydr'eau Pave in custom Charcoal



GREYSTONE



TUNDRA



CHAMPAGNE

P A V E R S

Combo Bundle



Rectangular Stone
Width 198 mm (7.80")
Length 397 mm (15.63")



Square Stone
Width 397 mm (15.63")
Length 397 mm (15.63")



Large Rectangular Stone
Width 397 mm (15.63")
Length 596 mm (23.46")

WEXFORD NEW!

The tumbled paving stone finish that is the ideal complement to a natural quarried look.

Forged to provide a timeless finish, Wexford leaves an everlasting impression with a natural aged texture.

Suitable for traffic and pedestrian use, Wexford has a 70mm (2.76") thickness and is available in 3 unit sizes.

Each piece has worn edges and a weathered surface, providing an Old World aesthetic appeal and elegance.



Above: Paver - Wexford in Sandalwood, Fireplace Et Wall - Laredo in Greystone Right Top: Paver - Wexford in Maple Blend and Buff
Right middle left: Wexford in Grey Granite Right middle right: Paver - Wexford in Maple Blend



P A V E R S



Half Stone
Width 104 mm (4.09")
Length 173 mm (6.81")



Standard Stone
Width 173 mm (6.81")
Length 208 mm (8.19")



Extra Large Stone
Width 208 mm (8.19")
Length 348 mm (13.7")

CENTURION

Featuring a subtly weathered texture with old-world grandeur

The Centurion paver has a 70mm (2.76") thickness, making it very suitable for both vehicle and pedestrian traffic. Centurion comes in many sizes ranging from small all the way to double jumbo, giving you an endless number of laying patterns to choose from. This charmingly weathered style paver allows you to enjoy complete design flexibility with individually packaged stone units.



Above: Paver - Centurion in Buff Mix Et Onyx soldiering, Wall - Ortana Plus in Desert Top middle: Paver - Centurion in Executive
Top right: Paver - Centurion in Buff Mix Et Executive



SANDALWOOD



CEDAR CREEK



EXECUTIVE



BUFF MIX



ONYX

P A V E R S

Onyx available in Standard Stone size. Ideal for soldier coursing or banding.

Combo Bundle



Small Stone
Width 68 mm (2.68")
Length 138 mm (5.43")



Square Stone
Width 138 mm (5.43")
Length 138 mm (5.43")



Standard Stone
Width 138 mm (5.43")
Length 208 mm (8.19")



Jumbo Stone
Width 208 mm (8.19")
Length 278 mm (10.94")



Quad Stone
Width 278 mm (10.94")
Length 278 mm (10.94")



Double Jumbo Stone
Width 278 mm (10.94")
Length 418 mm (16.46")

RIDGEFIELD

Recreating the vivid textures of cut stone with an elegant, classy appearance

Beautifully imitating the vivid textures of cut stone, Ridgefield has the level of durability needed to support high traffic vehicle areas with a thickness of 70mm (2.76"). The convenient combination bundle of 4x8, 8x8 and 8x12 stones allow for the creation of random patterns. Further enhance the scale by adding 12x12 large stones, packaged separately.



Above: Paver Et Edging - Ridgefield in Silversand Right: Paver - Ridgefield in Drambuie



SANDALWOOD



DRAMBUIE



SILVERSAND



SANDSTONE

P A V E R S

Combo Bundle



4x8 Stone
Width 100 mm (3.94")
Length 200 mm (7.87")



8x8 Stone
Width 200 mm (7.87")
Length 200 mm (7.87")



8x12 Stone
Width 200 mm (7.87")
Length 300 mm (11.81")



12x12 Stone
Width 300 mm (11.81")
Length 300 mm (11.81")

ARCADIA

The charm of aged cobblestone and the lasting impression of worlds past

Arcadia has a 70mm (2.76") thickness suitable for both pedestrian and vehicle traffic, and can be used for permeable pavement applications. It is available in three proportionate module sizes and includes a circle kit, allowing for ultimate design flexibility. Its' generous joint width, rounded corners, and uneven edges give it a natural stone look, ideal for winding pathways and circular patios.



CHARTAN



SANDSTONE



MAPLE BLEND



GREYSTONE



Top left: Paver - Arcadia in Chartan & Greystone Top right: Paver - Arcadia in Sandstone Bottom right: Paver - Arcadia in Chartan & Greystone

Combo Bundle




Small Stone
Width 69 mm (2.72")
Length 138 mm (5.43")



Square Stone
Width 138 mm (5.43")
Length 138 mm (5.43")



Large Stone
Width 138 mm (5.43")
Length 207 mm (8.15")



Circle Starter Kit also available

COURTLAND

The natural look of flagstone with the strength and durability of pavers

Courtland's consistent unit thickness 70mm (2.76") suitable for both vehicle and pedestrian traffic, coupled with its' ingenious design, make's installation easier and less expensive than traditional flagstone. Courtland's creative versatility is thanks to its' random shape, half stones that combine to make a full stone and the durability of concrete with a flagstone look.



Top: Paver - Courtland in Silversand Bottom: Paver - Courtland in Silversand

P A V E R S

Combo Bundle



Full Stone (.86 sq. ft.)
Width 318 mm (12.52")
Length 389 mm (15.32")



Half Stone "Left"
Width 194 mm (7.64")
Length 304 mm (11.97")



Half Stone "Right"
Width 194 mm (7.64")
Length 315 mm (12.40")



Easily achieves a 16" wide accent using full and half stones.

COLONNADE

A perfect complement to natural stone accents, featuring yesterday's warmth and charm

Suitable for light traffic and pedestrian use, Colonnade has a 60mm (2.36") thickness and is available in five proportionate unit sizes mirroring the style of hand-crafted granite setts. Complete design flexibility is made possible through individually packaged units, each displaying a naturally cut stone appearance.



Above: Paver - Colonnade in Timberwood Top right: Paver- Colonnade in Mahogany Bottom right: Paver - Colonnade in Greyfield Et Onyx soldiering



MAHOGANY



SANDALWOOD



SANDSTONE



TIMBERWOOD



ONYX



GREYFIELD



CEDAR CREEK

P A V E R S

Onyx available in 6x9 Stone sizes. Ideal for soldier coursing or banding.

Combo Bundle



3x6 Stone
Width 75 mm (2.95")
Length 150 mm (5.91")



6x6 Stone
Width 150 mm (5.91")
Length 150 mm (5.91")



6x9 Stone
Width 150 mm (5.91")
Length 225 mm (8.86")



9x9 Stone
Width 225 mm (8.86")
Length 225 mm (8.86")

ROMANESQUE

Craftsmanship of a lost age echoed by closely fitted joints and a smooth finish

Perfect for random patterns, fans, circles and sweeping curves, Romanesque represents the sophisticated elegance of paving from the past. Its 60mm (2.36") thickness makes it suitable for both pedestrian and light vehicle traffic. The cobblestone shape reflects the refinement of Old World paving.



GREYFIELD

COLONIAL



PIONEER

TIMBERWOOD



CHARCOAL

*Available in Large only

NORTHERN



P
A
V
E
R
S

Top: Paver - Romanesque in Northern & Charcoal banding

Combo Bundle



Small Stone

Width 60 mm (2.36")
Length 120 mm (4.72")




Square Stone

Width 120 mm (4.72")
Length 120 mm (4.72")



Large Stone

Width 120 mm (4.72")
Length 180 mm (7.09")



Circle Bundle
also available

CYRANO

The subtle texture; reminiscent of time-worn stone, instantly adds interest

Cyrano pavers have a 60mm (2.36") thickness and are available in two different unit sizes, featuring a subtly weathered appeal with an embossed finish. Both unit sizes are packaged together in a single bundle for ease of installation; suitable in drive, walk and patio applications. Suited to both pedestrian and light traffic use, Cyrano adds unique visual appeal to any application with its delicate textures and different color tones.



Top left: Paver - Cyrano in Sandalwood Top right: Paver - Cyrano in Timberwood Bottom: Paver - Cyrano in Timberwood



FINELINE

A perfect blend of style, sophistication and luxury complemented by it's rustic coloring

With a 60mm (2.36") thickness, Fineline can support both pedestrian and light vehicle traffic, and is ideal for use on wheelchair ramps, basketball courts and pool decks. Fineline has four different module sizes with reduced joint spacing to create a smoother surface, and offers a crisp sophisticated look for you to enjoy in a wide range of applications.



P
A
V
E
R
S

SILVERSAND

TIMBERWOOD

GREYFIELD

MAHOGANY

Top: Paver - Fineline in Silversand Bottom: Paver - Fineline in Greyfield

Combo Bundle



3x6 Stone
Width 75 mm (2.95")
Length 150 mm (5.91")



6x9 Stone
Width 150 mm (5.91")
Length 225 mm (8.86")



6x6 Stone
Width 150 mm (5.91")
Length 150 mm (5.91")



9x9 Stone
Width 225 mm (8.86")
Length 225 mm (8.86")

CLASSIC SERIES

A crisp, pristine appearance featuring both subtle and bold color patterns

The Classic Series is available in 4x8, 8x8 and 12x12 unit sizes, each one packaged individually for complete design flexibility. Use either a single module size or a combination of all three. This paver has a thickness of 60mm (2.36") and is suitable for pedestrian and light vehicle traffic. The Classic Series' smooth surface offers a refined finishing touch, with the option to choose from a variety of colors.



COLONIAL



NORTHERN



GREYFIELD



TIMBERWOOD



CHARCOAL
*Available in Large only



PIONEER
*Available in 4x8 only

P A V E R S

Above: Paver - Classic Series in Colonial, Walls - Ortana in Colonial Bottom: Paver - Classic Series in Greyfield with Charcoal soldiering



4x8 Stone
Width 100 mm (3.94")
Length 200 mm (7.87")



8x8 Stone
Width 200 mm (7.87")
Length 200 mm (7.87")



12x12 Stone
Width 300 mm (11.81")
Length 300 mm (11.81")

CASSINA or Cassina Plus

A gentle bullnose profile make Cassina or Cassina Plus a perfect choice for pool edging, step treads, wall coping and more

Cassina has a 70mm (2.76") thickness and comes in two finishes: smooth or tumbled, offering versatile design possibilities, while providing you with the security of a comfortable fit. These products can be used in combination with other 70mm (2.76") and 60mm (2.36") paver products.



Top: Coping Stone - Cassina Plus in Charcoal, Paver - Centurion in Cedar Creek Top right: Coping Stone - Cassina in Charcoal Bottom: Coping Stone - Cassina in Buff



Cassina Coping Stone
Width 203 mm (8")
Length 305 mm (12")



Cassina Plus Coping Stone (tumbled)
Width 203 mm (8")
Length 305 mm (12")

The 8" width means fewer cuts on a radius pool coping.

PRODUCT DETAILING

Add an extra element of interest to your home

Oaks product packaging allows total versatility to achieve any degree of size, color, texture or pattern detail necessary to feasibly meet the distinct design requirements of your project.



Custom Designs
& Specialty Pavers



Linear Banding



Linear Banding &
Soldier Coursing

PATTERN DESIGN

With all the many styles, colors, shapes and textures of paving stones we offer, there's isn't enough space, even in the catalogue and website together, to show you everything that's possible. The only limit is your imagination and creativity. Visit our website www.oakspavers.com to download design guides for product specific patterns.




Stone Patterns
& Designs




Stone Layouts




Serpentine
or circular



Simple linear patterns to more intricate random patterns are easily constructed to create a variety of unique patterns.



Many types of stone layouts are available, such as classic herringbone, regal running bond, or random layout.



Circles, fans, or partial circles are made easy with the Arcadia circle kit and Romanesque circle bundle.

ENVIRO PRODUCTS STORMWATER

LEED BY EXAMPLE!

ENVIRO PAVE



Features

- Enviro pave is available in the Natural color only. Custom Color orders available for pavements exceeding 450 sq.m (4,850 sq.ft.)
- An ecological system, with a classic appearance
- Manufactured in 80mm (3.15") thickness for heavy and light duty vehicular or pedestrian traffic.
- Unique 10mm (0.39") spacer lug design and chamfered edges provide optimal stormwater infiltration and erosion reduction
- Compliant with many municipal stormwater regulatory requirements
- Reduced installation time and labor costs using machine installed methods
- Combine with other Oaks 80mm (3.15") thick products to create unique designs in pavements. Visit www.oakspavers.com or call Oaks for more information on this eco-friendly product


TYPICAL USES: Industrial and Commercial Storage Yards & Parking Lots / Commercial Access Roads / Recreational & Sporting Event Entrances & Plazas / Municipal Sidewalks, Lanes, Boulevards and Public Squares / Subdivision Roads, Entrance Features & Residential Driveways



Width 200 mm (7.87")
Length 200 mm (7.87")



Bottom Overflow Channel



ENVIRO PRODUCTS



TURF-SLAB

- Manufactured in 80mm (3.15") thickness for heavy and light duty vehicular traffic
- A concrete grid paver, with 40% void space to facilitate either granular fill or turf growth
- Reduce thermal heat island effect
- Install mechanically to further reduce time and labor costs



Width 400 mm (15.76")
Length 600 mm (23.62")

TYPICAL USES: Emergency & Service Vehicle Access Routes / Slope Erosion Protection / Retention Pond Linings and Vehicular Access Roads / Ditch and Channel Linings / High Use Turf Areas like Event Parking and Public Parking Areas / Environmentally Sensitive Area Erosion Protection / Small Lake Boat Launching Ramps

CONTROL SYSTEMS

HYDR'EAU PAVE NEW!

Features


- Available in ranges of natural earth tones. Custom Color orders available for pavements exceeding 450 sq.m (4,850 sq.ft.)
- Manufactured and packaged in a random pattern for machine installed methods, reducing installation time and labor costs. Can also be hand installed
- A distinct, weathered and textured surface providing a natural stone appearance
- Four modules, manufactured in 80 mm (3.15") thickness, and in a random layout providing optimal lock-up to withstand heavy loads for both commercial and residential pavements
- 7 mm (.28") joint space, filled with a clear, fine stone chip, allows rapid infiltration of rain water through the joints and into the base, subbase, and subsoil
- Combine with other OAKS 80 mm (3.15") thick products to create unique designs in pavements



ENVIRO PRODUCTS

Benefits

- Reduces excessive stormwater runoff during peak flow rainfall events
- Captures peak flow rainfall events and provides contaminant filtration on first flush
- Groundwater recharge through the paver joint and base structure aggregates
- Reduces erosion and sediment build up by undesirable runoff, promoting stream and lake health
- Clear, crushed aggregate, used in joint spaces and base layer structures, filters the water of contaminants and pollutants
- Compliant with most levels of government for Best Management Practices (BMP's) regarding stormwater management regulations



ENVIRO PRODUCTS

Both top and bottom: Hydr'EAU Pave in Silversand



TYPICAL USES: Industrial / Commercial Storage Yards & Parking Lots / Commercial Access Roads / Municipal Sidewalks, Lanes, Boulevards & Public Squares / Recreational & Sporting Event Entrances, Plazas, & Parking Lots / Subdivision Roads, Entrance Features, & Residential Driveways & Patios





Create new memories.



Express your imagination



through innovation.

A man with grey hair, wearing a light-colored sweater, is sitting on a stone wall at night. The wall is made of stacked stone blocks. In the background, there are green plants, ferns, and several lit lanterns. The scene is illuminated by the lanterns and a small candle, creating a warm and cozy atmosphere.

WALLS

Designed to bring lasting beauty & sustainability, Oaks wall products provide the building blocks to your innovation. Engineered for strength and built for a variety of landscape architectural needs, our wall products provide the functionality to complete a variety of projects. When durability and aesthetics are what you are looking for, Oaks wall products are the best solution.

ORTANA

Brilliantly designed and textured in elegant and subtle color tones

Ortana's accentuated textures and complementing color combinations create appealing single and double-sided walls, driveway borders, embankments and more. Ortana units are available pre-split for fast, economical construction and contains hand notches for easy lifting and placement.



BROWN

NATURAL



TIMBERWOOD

DESERT



GREYFIELD

COLONIAL



Top: Wall - Ortana in Colonial, Bottom Pavers - Romanesque in Colonial, Top Pavers - Classic Series in Colonial
Bottom left: Steps & Wall - Ortana in Greyfield Bottom right: Wall - Ortana in Natural



Standard Unit
Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



Tapered Unit
Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



90° Corner Unit
Width 300 mm (11.81")
Height 150 mm (5.91")
Depth 200 mm (7.87")



2' Split-Face Coping Unit
Width 610 mm (24.02")
Height 75 mm (2.95")
Depth 300 mm (11.81")



1' Split-Face Coping Unit
Width 305 mm (12.00")
Height 75 mm (2.95")
Depth 300 mm (11.81")

ORTANA PLUS

The gently weathered look of Ortana Plus adds dramatic distinction to your landscape

Adding to the dynamic textures of Ortana, Ortana Plus has a naturally weathered appearance in a wall that is easily manoeuvred to suit any design. Ortana Plus has a rear tongue removal feature for vertical walls, and all corner units create a consistent rock face look. Ortana Plus can be easily converted to create a double-sided wall for seatwalls, driveway borders and more.



WALLS

Top Wall - Ortana Plus in Timberwood Bottom: Steps Et Wall - Ortana Plus in Greyfield



Standard Unit
Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



Tapered Unit
Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 300 mm (11.81")



90° Corner Unit
Width 300 mm (11.81")
Height 150 mm (5.91")
Depth 200 mm (7.87")



1' Split-Face Coping Unit
Width 305 mm (12.00")
Height 75 mm (2.95")
Depth 300 mm (11.81")

FIELDSTONE

Old world charm with rugged beauty and a rough cut edge

Solid tumbled units are pre-split for quick and cost-effective construction. Create a variety of garden walls, planters, steps or entrance pillars in linear or random patterns. Built-in rear retention lip provides ultimate stability and all 135mm (5.31") units can be installed vertically as jumper blocks. The variety of modules provided by Fieldstone allows the flexibility to create a multitude of projects.



Above: Wall - Fieldstone in Silversand, Coping - Cassina Plus in Timberwood, Paver - Ridgefield in Drambuie Right page: Wall - Fieldstone in Sandstone



W A L L S

135 mm Units



Taper Unit #1
 Width 176 mm (6.93")
 Height 135 mm (5.208")
 Depth 260 mm (10.24")



Taper Unit #2
 Width 266 mm (10.47")
 Height 135 mm (5.208")
 Depth 260 mm (10.24")



Standard Unit #3
 Width 352 mm (13.86")
 Height 135 mm (5.208")
 Depth 260 mm (10.24")



Standard Unit #4
 Width 442 mm (17.40")
 Height 135 mm (5.208")
 Depth 260 mm (10.24")



Coping Unit
 Width 460 mm (18.11")
 Height 75 mm (2.95")
 Depth 305 mm (12.01")

L A R E D O

The elegant simplicity of Laredo's slender design lends it's own charm to your landscape

Laredo offers the perfect combination of vintage-style elegance and modern day charm in a two-block system capable of constructing a wide variety of garden walls, pillars, seat walls and driveway edging (be sure to apply concrete adhesive between your stone rows for optimal stability). Equipped with standard units for linear and randomly patterned walls, as well as tapered units ideal for gently sweeping curves, Laredo lets you run free with your design inspirations.



GREYSTONE



SANDSTONE



MAHOGANY



CHARTAN



SANDALWOOD



W A L L S

Top: Wall - Laredo in Sandstone with banding in Colonnade Onyx Bottom: Wall - Laredo in Greystone



Standard Unit
Width 291 mm (11.44")
Height 97 mm (3.82")
Depth 194 mm (7.63")



Tapered Unit
Outside Width 200 mm (7.88")
Inside Width 154 mm (6.06")
Height 97 mm (3.82")
Depth 194 mm (7.63")

VERAZZO NEW!

Handsomely rugged with ultimate stability

Each Verazzo unit is pre-split on both sides allowing for the creation of freestanding decorative walls. The differing lengths and angled shapes of each unit make Verazzo ideal for straight line walls and tight fitting convex or concave curves. Pin positioning options allow you the ability to build vertical or set back walls with easy alignment and excellent shear resistance.



TALISMAN



GREYSTONE



CHARTAN

WALLS

*All units tumbled on both sides.

Above: Walls – Verazzo in Chartan, Pavers – Centurion in Sandalwood with Onyx soldiering
Bottom: Wall – Verazzo in Chartan, Pavers – Colonnade in Timberwood



Small Unit

Outside width 152 mm (6")
Inside width 99mm (3.9")
Height 152 mm (6")
Depth 267 mm (10.5")



Medium Unit

Outside width 254 mm (10")
Inside width 200mm (7.9")
Height 152 mm (6")
Depth 267 mm (10.5")



Large Unit

Outside width 410 mm (16")
Inside width 351mm (13.83")
Height 152 mm (6")
Depth 267 mm (10.5")



Corner Unit

Width 200 mm (7.87")
Height 152 mm (6")
Depth 300 mm (11.81")



Coping Unit

Width 457 mm (18")
Height 76 mm (3")
Depth 305 mm (12")



Pins included.

VICTORIAN NEW!

Authentically victorian and well-suited to any landscape setting

Ideal for both straight and curved walls in residential and commercial applications, Victorian Stone has a distinctive pre-split, tri-bevelled face. With a large open core centre space and high-strength, specialized fibreglass pins, Victorian Stone units offer quick and easy alignment with a secure, positive mechanical connection for grid soil reinforcement.



W A L L S

CHARTAN

GREYSTONE

TALISMAN

Above: Wall - Victorian in Talisman Bottom: Wall - Victorian in Chartan



Standard Unit
Width 457 mm (18")
Height 203 mm (8")
Depth 305 mm (12")



Corner Unit
Width 457 mm (18")
Height 203 mm (8")
Depth 230 mm (9")



Coping Unit
Width 457 mm (18")
Height 102 mm (4")
Depth 330 mm (13")



Pins included.



COMPAC HEWNSTONE NEW!

Classic design with a natural stone appeal

Designed with a highly textured yet smooth face and unduplicated natural stone appeal, Compac Hewnstone is ideal to enhance any landscape project. Compac Hewnstone is a structurally sound, aesthetically pleasing and economical solution to any retaining wall installation.



W A L L S

Top: Wall - Compac Hewnstone in Buff with Laredo Chartan Et Cassina Plus in Timberwood
 Top right: Pillars - Compac Hewnstone in Buff Bottom: Wall Compac Hewnstone in Buff



Standard Unit
 Width 457 mm (18")
 Height 203 mm (8")
 Depth 305 mm (12")



Corner Unit
 Width 381 mm (15")
 Height 203 mm (8")
 Depth 152 mm (6")
 381mm (15")



Coping Unit
 Width 457 mm (18")
 Height 102 mm (4")
 Depth 330 mm (13")



Pins included.



MODECO

Modeco is ideal for straight or tapered wall designs and has a rugged rock finish

Modeco is light and easy to work with, creating some of the most beautiful garden walls, tree surrounds and edging designs. Units are pre-split on both sides for simple construction of inside and outside curves. Alternate the units for straight wall applications.



W A L L S

GREYSTONE

SANDSTONE

CHARTAN

Top: Wall - Modeco in Greystone Bottom: Wall - Modeco in Greystone




Standard Unit

Outside width 184 mm (7.25")
 Inside width 140 mm (5.51")
 Height 89 mm (3.50")
 Depth 184 mm (7.25")



Coping Unit

Outside width 184 mm (7.25")
 Inside width 140 mm (5.51")
 Height 89 mm (3.50")
 Depth 184 mm (7.25")



Tree Ring

26 pcs. per course
 Makes a 60" dia. circle.

CASTELO

If you're looking for a weathered, timeworn look in a stone, Castelo is a great choice

Castelo displays a naturally timeworn and rugged look ideal for garden walls, tree surrounds and creative edging work. Units are pre-split on both sides allowing for fast and easy construction, especially suited to tight inside and outside curve designs.




Top left: Wall - Castelo in Chartan Top right: Castelo in Chartan Bottom: Wall - Castelo in Greystone



Standard Unit
 Outside width 184 mm (7.25")
 Inside a 140 mm (5.51")
 Height 89 mm (3.50")
 Depth 184 mm (7.25")



Coping Unit
 Outside width 184 mm (7.25")
 Inside width 140 mm (5.51")
 Height 89 mm (3.50")
 Depth 184 mm (7.25")



Tree Ring
 26 pcs. per course
 Makes a 60" dia. circle.

GARDENIA

The simple allure of a classic stone look: the ideal choice for the do-it-yourselfer

Gardenia offers a classic, traditional appearance with a double-wing feature, which allows for the easy creation of both tight and gently sweeping curves. All units are pre-split for fast construction of garden walls, tree surrounds and edging.



GREYSTONE



CHARCOAL



BROWN



MAHOGANY



SANDSTONE



CHARTAN



W
A
L
L
S

Top: Wall - Gardenia in Chartan Bottom: Wall - Gardenia in Greystone



Standard Unit
Width 200 mm (7.87")
Height 150 mm (5.91")
Depth 200 mm (7.87")



90° Corner Unit
Width 300 mm (11.81")
Height 150 mm (5.91")
Depth 200 mm (7.87")



Coping Unit
Width 615 mm (24.21")
Height 75 mm (2.95")
Depth 220 mm (8.66")



Step Tread
Width 615 mm (24.21")
Height 75 mm (2.95")
Depth 315 mm (12.40")

INSTALLING YOUR WALL


Properly installed walls will provide many years of beauty and enjoyment

RETAINING & LANDSCAPE WALL CAPABILITIES (Typical)

WALL BLOCK TYPE	Installation Type	Max. Height "without" surcharge at top of slope		Adhesive Requirements	Setback Angle	Minimum Radius	
		Inches	Millimetres			Inches	Millimetres
Modeco/Castelo	Vertical	15	384	yes	0	30.25	768
Gardenia - No wings	Setback	32	825	no	5	20.75	527
Gardenia Coping - 9"	Setback	36	900	no	6	n/a	n/a
Gardenia Step Tread - 12"	Setback	47.5	1207	no	14	n/a	n/a
Ortana - Tapered	Setback	44	1125	no	7	46.75 Tapered	1187
Ortana Plus - Tapered	Setback			no			1500
Fieldstone 135mm - Units 1 & 2	Setback	40	1020	no	7.6	59	1500
Laredo	Vertical	16	406	yes	0	24	607
Keystone Verazzo	Vertical	21	534	no	0	34	864
Keystone Verazzo	Setback	36	900	no	7	34	864
Keystone Compac Hewnstone/Victorian	Near Vertical	28	712	no	2	72	1829
Keystone Compac Hewnstone/Victorian	Setback	36	900	no	8.8	72	1829

Note: Concrete adhesive is recommended with all coping or cap stone and in applications where the potential of interaction with the product can result in pieces being removed from place.


Types of Retaining Walls



Example shown is Ortana/Ortana Plus.

Oaks provides a variety of both garden and retaining wall products. Short or tall, our wall products will satisfy your requirements.

The Height of Your Retaining Wall




Example shown is Fieldstone 135mm.

Retaining walls can be engineered with geogrid soil reinforcement to achieve greater height requirements. Consult a geotechnical engineer or call Oaks for retaining wall allowable design support.

Building 90° Corners

Alternate the direction of your 90° Corner Units for optimum stability. Glue each unit to the previous for additional security.



For more detailed instructions, visit us online at www.oakspavers.com.


INSTALLING YOUR STEPS

Oaks products provide many functional options to incorporate in your design

Ortana & Ortana Plus Steps

Construction Notes:


1. Create steps with the Standard units. (Extended units optional)
2. Step riser is 150mm (6"); tread is 300mm (11.81").
3. Distribute cut pieces evenly across width of each step.
4. More steps could be added (using the same pattern) by increasing dimensions at the bottom in both directions.
5. Backfill with compacted aggregate as each course is added.
6. Adhere each Copping unit to previous layer using concrete adhesive.
7. It may be necessary to remove a portion of each unit's tongue to overlap properly at corner locations.
8. Create step tread using either 1' or 2' Copping unit.
9. Handrails may be required for certain style steps. (Consult your municipality bylaws dept.)




Fieldstone Steps

Construction Notes:

1. Create steps with the 135mm units.
2. Step riser is 195mm (7 5/8"); tread is 305mm (12").
3. Distribute cut pieces evenly across width of each step.
4. More steps could be added (using the same pattern) by increasing dimensions at the bottom in both directions.
5. Backfill with compacted aggregate as each course is added.
6. Adhere each Copping unit to previous layer using concrete adhesive.
7. It may be necessary to remove a portion of each unit's tail to overlap properly at corner locations.
8. Copping units will overhang 27mm (1 1/8").
9. Corners are made using only units 3 and 4.
10. Handrails may be required for certain style steps. (Consult your municipality bylaws dept.)




Gardenia Steps



Construction Notes:

1. Using this arrangement, steps with 6" risers and 12" treads can be created
2. Use Gardenia for riser courses.
3. Use Gardenia Corner Units to create each 90° corner.
4. Wider steps can be created by adding more Gardenia Units between the Corner Units.
5. More steps can be added by installing more Gardenia Units behind the step face.
6. Gardenia's built-in setback will create steps that area approx. 16mm (5/8") narrower as each course is added, adjustments will be necessary as layers are installed.
7. Backfill with compacted aggregate as each course is added.
8. Filter cloth may be used behind the steps to stabilized backfill material.
10. Step treads should be adhered to the riser course below using concrete adhesive.
11. Position the step treads so there is about a 25mm (1") overhang in front and about 75mm (3") in back.
12. At the end of each step tread, portions of the tail on the Units will have to be removed so the units will be flat.



DESIGNING YOUR WALL

Add intricate vertical design elements efficiently


Verazzo: curved or straight walls with minimal cutting.

The Verazzo wall system was designed with modules to allow greater versatility for both straight and curved walls in both **single and doubled sided** wall applications.

Verazzo wall is comprised of 3 modules of different dimensions; Small, Medium & Large (S, M, L).

These **two-sided**, tumbled modules can be reversed for more design possibilities in terms of varying radius.

Below are the various combinations of radii achievable with minimal to no cutting.



To achieve larger radius applications on Single-Sided walls, gap the inside (backside) of the wall modules accordingly.

Note that Verazzo Wall is bundled with equal quantities of small, medium and large pieces.



OAKS ACCESSORIES

NEW for 2011!

- Oaks Polysand
- H2OaksBond
- Oaks InvisoSeal

Oaks provides you with all the materials needed for your landscaping endeavors. With our full line of accessory products, we provide you with all the trusted components your project may require.



Oaks Polysand

Oaks Polysands are designed to bind firmly and easily together in paver joints, allowing it to harden upon wetting. Oaks Polysand adds stability, performance, and lasting durability to your landscape projects. Ideal for pool areas, sloped surfaces, and replacing existing joints, Oaks Polysand resists all weather conditions, inhibits weed growth & ant colonization and gives you the assurance that your project will last the test of time.

Available in both Grey and Tan

Oaks Jointing Sand

Oaks jointing sand is a well washed, screened sand that provides the firm binding shear necessary in paver joints. Jointing sand is the standard of stability required to ensure proper paver installation.



H2OaksBond

H2OaksBond is an environmentally friendly, water based, low VOC concrete adhesive. H2OaksBond provides the strength of bond necessary for retaining wall applications. When set the adhesive bead maintains sufficient flexibility without sacrificing bond strength.

This product is available in regular and large size tubes.



Oaks InvisoSeal

Oaks InvisoSeal is an environmentally friendly, water based, low VOC concrete sealant. This unique invisible sealer does not alter the appearance of the pavers while providing surface protection. It does allow the surface to breathe while preventing water, dirt and stains from penetrating.

This product is available in 1 and 5 US gal can sizes.

**Packaging subject to change*





Edge Pro - One Piece System with No Cutting!

- Extra rugged design withstands heavy traffic. EdgePro® can be used for walkway, patio or driveway installations
- Durable vinyl material will not rust, crack, rot or deteriorate
- Designed for both straight and radius installations without snipping or cutting
- L-shape profile can be installed with anchoring spikes/stakes underneath or outside the edge of the pavers
- L-shape design also eliminates turf "brownout" by allowing maximum backfill against the pavers
- Compact 7.5-foot design is convenient for storage and hauling
- Can be anchored with standard 3/8-inch diameter landscape spikes or 9.5-inch custom landscape stakes



Leading manufacturer of polymeric sand & treatment products



Polymeric Sand (RG and HP Formulas)

Applied dry, it hardens after wetting. Thus, it perfectly stays in place and remains stable; this is why it effectively resists erosion caused by water, frost, wind, street sweepers, etc. In addition, it prevents insect infestation and inhibits weed growth.

Techniseal offers high-end products that help consumers clean and protect the exterior surfaces of their home. Created in 1984, the Company has become a leading manufacturer of polymeric sand and treatment products for the concrete paver industry. Building on this strength, it has developed innovative product lines for paving stones and retaining walls. Techniseal Polymeric Sand for Pavement Joints is a high-tech mix of graded sand and binder, specially formulated for the filling of joints when installing pavers.



- Rust Remover
- Dirt and Grease Cleaner
- Rollers
- Efflorescence Cleaner
- Paint, Tar and Rubber Remover
- Sealants

Concrete Adhesives (RG and HP Formulas)



- RG** 10.5 fl. oz./29 fl. oz.
- Ideal for retaining walls
 - Super-adherent on dry, wet or frozen surfaces
 - Perfectly resists the elements (frost, rain, etc.)
 - Elastomeric resin – Remains flexible
 - Economical



- HP** 10.5 fl. oz.
- Ideal for stairs and walkways
 - Permanent bond, as resistant as the material
 - Perfectly resists the elements (frost, rain, etc.)
 - Won't shrink – Only a small quantity required
 - Moisture-cure urethane
 - Hardens quickly – Remains flexible

Limitless inspiration...





Apply your creative touch to any landscape, and allow Oaks to be the stepping stones to an inspiring living space. Intriguing designs and exuberant styles provide the paintbrush needed to color your canvas.

Architectural Landscape



Avenue Series - Weathered



Avenue Series - Matrix



Avenue Series - Standard



Left page: Top row of three: Avenue Series - Weathered, Matrix & Standard Middle left: Centurion Bottom left: Ridgefield Middle: Villanova Middle right: Classic Series & inset Detectable Warning Bottom right: Enviro Pave

Right page: Top left: Fineline Bottom left: Hydr'eau Pave Top centre: Victorian Middle centre: Ortana Top right: Compac Hewnstone Middle right: Ortana Plus Bottom right: Alterra

Products.



Oaks concrete products have gained the reputation of innovation and versatility in the industrial, commercial and institutional (ICI) market. Our commitment to being supplier of choice drives the development and manufacturing of a wide variety of ICI products to meet all your structural and aesthetic design requirements.

COLORS

Use color to disguise or emphasize any feature or use it to create patterns

PRODUCT COLOR AND DESCRIPTION

- BROWN Comprised of a Brown pigmentation
- BUFF Comprised of a Buff pigmentation
- BUFF MIX Comprised of a light Buff pigmentation
- CALEDON CRIMSON A tri-blend of Natural, Charcoal, and Sandalwood Red color pigments
- CHAMPAGNE A blend of light Buff & Charcoal with Tan accents
- CHARCOAL Comprised of a Charcoal pigmentation
- CEDAR CREEK A blend of Brown, Buff and Red color pigments
- CHARTAN A blend of light Charcoal and Tan color pigments
- COLONIAL A blend of Brown and Salmon color pigments
- DESERT A blend of Buff and Natural color pigments
..... A blend of Chamois (Red), dark Grey and Tan
- EXECUTIVE A blend of light Buff and Charcoal color pigments
- GOLDEN ASH A blend of Brown, Charcoal & Buff accents
- GREY GRANITE A blend of Charcoal and Natural color pigments
- GREYFIELD A blend of Charcoal and Natural color pigments
- GREYSTONE A blend of Natural and light Charcoal color pigments
- MAHOGANY A blend of Charcoal and Reddish Brown color pigments
- MAPLE BLEND A blend of Brown, Buff and Charcoal color pigments
- NATURAL Comprised of a Natural concrete color
- NORTHERN A blend of Charcoal and Red color pigments
- ONYX Comprised of a Black color pigmentation
- PIONEER A blend of Buff and Brown color pigments
- QUARRY TAN A tri-blend of Charcoal, Natural and light Brown color pigments
- SANDALWOOD A tri-blend of Buff, Red and Charcoal color pigments
- SANDSTONE A blend of light Brown and Buff color pigments
- SANTA FE Comprised of a light Buff pigmentation
- SILVERSAND A tri-blend of light Buff, Natural and Charcoal color pigments
- TALISMAN A blend of Buff & Charcoal color pigments
- TIMBERWOOD A blend of Charcoal and dark Brown color pigments
- TUNDRA A blend of light Buff & Brown with Gray accents



Check out our website
www.oakspavers.com

Our website is designed with intuitive menus, helpful directions and beautiful photographs showing real-world applications of our products. There are easy-to-navigate multi-media features, FAQ's, and even a Stone Calculator to help you plan your next project!

Homeowners can:

- Locate a Dealer
- Research our entire product line
- Get design ideas
- Get practical tips to realize any design goal
- Download or order a catalogue



TEXTURES

Different textures, plants or accessories can help you create beauty in ways you never expected



SMOOTH

The even surface of the smooth texture is attractive and gentle to the touch, but retains the stain and slip-resistant properties you expect.



TUMBLED

The tumbled finish offers the weathered look without compromising durability or material consistency.



NATURAL

Added visual appeal and a more natural texture make this a popular choice for pavers, walls and borders.